





Yellow-billed Cuckoos along the Sacramento River:

No evidence of response to riparian forest restoration

Mark Dettling and Nathaniel Seavy June 3, 2013

Outline

- Background on Western Yellowbilled Cuckoo
- Recent surveys on the Sacramento River
- Comparison to previous surveys
- What do we need to do next?



Western Yellow-billed Cuckoo

- Charismatic
- Neotropical migrant
- Secretive nature
- Riparian forest obligate
- Feeds on large insects and caterpillars
- Short nest cycle



Background

- Once ranged throughout Central Valley and Southern California
- Today, restricted to small populations in Sacramento, Colorado and Kern River Valleys
- Listed as State Endangered in 1988
- Federally "warranted but precluded", currently under consideration



From: http://pubs.usgs.gov/fs/2009/3091

Sacramento River Yellow-billed Cuckoo Surveys

- In partnership with California Department of Fish and Wildlife
- Main goal was a population estimate
- 2010 and 2012 surveys of main stem of Sacramento River



Surveys

- Call playback surveys at points
- Four visits to each point, June 15-August 15
- Mostly done by foot, some from boat



Results


2010 Survey

- 18 cuckoos
- 6 in restoration
- ~1500 survey points/round
- ●~1200 total survey hours


2012 Survey

- 10-12 cuckoos
- •1 in restoration
- •~1100 survey points/round
- ●~1100 total survey hours


Results



Previous Surveys



Previous Surveys



Previous Surveys

- Different protocols
 - Fewer surveys
 - Mostly from the river
 - Different interpretation of responses
- Difficult to make direct comparisons



Why the low numbers?

- Lots of new habitat, more spread out and harder to find
- Birds stopping short further south
- Survey protocol
- Decline in population



Why the decline?

Breeding grounds

- Food availability/insecticides
- Disrupted hydrologic function
- Predator increase
- Disease

Migration and wintering grounds

- Food availability
- Habitat conversion
- Disease
- Unknown



Future Work

- Monitor the population
- Organize and reinterpret previous surveys
- More focused studies are warranted
 - Blood samples and genetics
 - Telemetry
 - Geolocator/satellite tags
 - Wintering grounds

Conclusions

- Sacramento River population is declining
- It appears that restoration has not increased cuckoo numbers
- Other species are responding well
- Opportunity to increase our understanding of river ecosystems and the Yellow-billed Cuckoo

Acknowledgements

- Funded by USFWS through a TraditionalESA Section 6 grant to CDFW
- Henry Lomeli, David Wright, Canh Nguyen
- USFWS, Joe Silveira, Kelly Moroney
- The Nature Conservancy
- California State Parks
- River Partners
- PRBO Field Technicians



